Product Assembly Instructions

Item#: TRIXI 26/30" ADJUSTABLE BARSTOOL

Helpers needed to assemble: 2

Estimate time frame to assemble: 10 minutes


Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts, which may come loose inside the carton during shipment. Please identify and count all parts and compare with the HARDWARE LIST below.

Caution: Please read instructions carefully before unpacking assembly parts. Sharp, exposed staples can cause injury, therefore, for your protection, please remove any exposed staples used in packing.

* Keep the Allen Key and Tighten all screws each 3 months for safety concern!

1.We recommend to assemble this product with the assistance of another person. This will provide a smooth assembly process, and can help eliminate self injuries or damage to the product during assembly.
2. Please do not over tighten screws or bolts until the assembly is completed.
3. Please put all parts on a smooth, flat surface before assembly, and carefully follow the assembly steps to assemble your newly purchased product correctly and efficiently.


#	Picture	Part	Q'TY
A		Leg frame	1
B		Seat	1
C		Wood extension	4

#	Picture	Hardware list	Q'TY
1		Ø 1/4" x 1" Bolts	4
2		Ø 1/4" x Ø12 Spring washer	8
3		Ø1/4"x Ø14 Flat washer	8
4		Ø 1/4" x 2.75" Bolts	4
5		Ø 0.75" End cap	4
6		Ø 1/4" x 1" Foot glide	4
7		Allen key	1

For Counter Height assembly

Step 1: Align the Leg Frame (A) with the pre-drilled holes on the swivel plate of the Seat (B). Insert 4pcs Bolts (1) with Spring Washers (2) and Flat Washers (3) as shown, and tighten using the Allen Key (7) provided.


Step 2:
Attach 4pcs Floor Glide (6) to the legs by turning them clockwise to tighten as shown.



Product Assembly Instructions


Item#: TRIXI 26/30" ADJUSTABLE BARSTOOL

Your assembly is complete



For Bar Height assembly

Step 1: Attach the 4 Leg Extension (C) to the legs of Leg Frame (A). Make sure each extension is in the correct position as indicated by the labels in the diagram.
Step 2: Insert 4pcs Bolts (4), with Spring Washers (2) and Flat Washers (3) as shown, and tighten using Allen Key (7).
Step 3: Insert the End Caps (5) into the holes of the Leg Extensions and firmly push to secure them.



Product Assembly Instructions

Item#: TRIXI 26/30" ADJUSTABLE BARSTOOL

Your assembly is complete

